

BAMOB

Blaster for Additive Manufacturing



BAM03

Blaster for Additive Manufacturing



Blasting/depowdering Surface treatment

Ergonomic and user-friendly manual blasting cabinet suitable for surface treatment of different parts and materials.

Basic configuration

- Large window for optimal view during blasting
- Suction and pressure blasting system
- Electronically height adjustable cabinet for most ergonomic work
- Stainless steel construction
- Compatible with all types of abrasives
- Media recycling system with integrated automatic media recovery and refill system
- Heavy-duty replaceable gloves


Optional

BAM03 EX

- Media recycling system with vacuum unit and filter in EX-version (ATEX certified)
- Additional grounding
- Antistatic bracelet for operator
- **Note:** EX certified vacuum cleaner is located next to the blasting cabinet

Technical specifications

Dimensions (L x W x H)	800 mm x 800 mm x 1700 mm
Workspace size (L x W x H)	650 mm x 500 mm x 500 mm
Height adjustment	200 mm
Load capacity	30 kg
Compressed air (min - max)	1 bar / 14.5 PSI - 8 bar / 116 PSI
Air Consumption	600l/min @ 6 bar
Power	110V/230VAC 50/60Hz
Weight	190 kg



Post processing, **redefined.**

Addiblast by FerroECOBlast | Sela 47, 8350 Dolenjske Toplice | Slovenia, EU
www.addiblast.com | sales@addiblast.com

addiblast[®]
 by FerroECOBlast[®]